WHAT IS CLAIMED IS:

1) A compound of formula (I)

wherein

Resin denotes polystyrene, optionally cross linked with divinyl benzene or

polyethylenglycol;

R¹ denotes hydrogen, C₁-C₆-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl C₁-C₆-

alkoxy, halogen, NO2 or CF3;

R2 denotes a group selected from hydroxy, amino, and formyl, being

optionally protected by a suitable protective group,

or

a 5 or 6 membered saturated or unsaturated nitrogen heterocycle, optionally containing one or two additional heteroatoms selected from the group consisting of oxygen, nitrogen and sulfur, and being optionally substituted by a group selected from C_1 - C_6 -alkyl, C_1 - C_6 -alkoxy, halogen, NO_2 and a suitable protective group.

2) The compound as recited in claim 1 wherein R² is N-C₁-C₆-alkylamino, optionally protected by a suitable protective group.

3) The compound as cited in claim 1,

wherein

Resin denotes polystyrene, optionally cross linked with divinyl benzene or

polyethylenglycol;

R¹ denotes hydrogen, C₁-C₄-alkyl, C₁-C₄-alkoxy, fluorine, chlorine,

bromine, or NO2;

R2 denotes a group selected from hydroxy, amino, and formyl, being

optionally protected by a suitable protective group,

or

a 5 or 6 membered saturated or unsaturated nitrogen heterocycle, optionally containing one additional nitrogen heteroatom which is substituted by a protective group selected from fluorenylmethyoxycarbonyl and t-butoxycarbonyl.

4) The compound as recited in claim 3 wherein R² is N-C₁-C₄-alkylamino, optionally protected by a suitable protective group.

5) The compound as cited in claim 1,

wherein

Resin denotes polystyrene cross linked with divinyl benzene;

R¹ denotes hydrogen, methyl, methoxy, fluorine, chlorine, bromine, or NO₂, preferably hydrogen;

R2 denotes hydroxy, being protected by a group selected from tertbutyldimethylsilyl, methoxy-ethoxymethyl (MEM) and methyl, or

N-methylamino, being protected by a group selected from fluorenylmethyloxycarbonyl (FMOC) and t-butoxycarbonyl (BOC), or

formyl, being protected to form a dioxolane ring, or

piperazin-1-yl, being substituted by a protective group selected from fluorenylmethyoxycarbonyl and t-butoxycarbonyl.

6) A compound of formula (IV)

$$\begin{array}{c|c} & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & &$$

wherein

R¹ denotes hydrogen, C₁-C₆-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl C₁-C₆-alkoxy, halogen, NO₂ or CF₃; and

R² denotes a group selected from hydroxy, amino, and formyl, being optionally protected by a suitable protective group.

7) The compound as recited in claim 6 wherein R² is N-C₁-C₆ –alkylamino, optionally protected by a suitable protective group.

8) A compound of formula (I')

wherein Resis denotes polystyrene, optionally cross linked with divinyl benzene or polyethylenglycol;

- R¹ denotes hydrogen, C₁-C₆-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl C₁-C₆-alkoxy, halogen, NO₂ or CF₃: and
- R3 denotes a group selected from -O-CO-C $_1$ -C $_4$ -alkyl, -N(C $_1$ -C $_4$ -alykl) $_2$, -NH-CO-C $_1$ -C $_4$ -alkyl, -NH-CO-OC $_1$ -C $_4$ -alkyl, -NH-CO-NH-C $_1$ -C $_4$ -alkyl, -COOH, -COOC $_1$ -C $_4$ -alkyl and -CONHC $_1$ -C $_4$ -alkyl and -CH $_2$ OH.